

kardia transport chairs



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

FINISHES

- 53 LIGHT MAPLE
- 31 CINNAMON CHERRY
- 24 IMPERIAL CHERRY
- 46 ROYAL MAHOGANY
- 69 BOURBON MAHOGANY
- 64 APPALACHIAN MAHOGANY
- 42 LIGHT WALNUT
- 38 HERITAGE WALNUT
- 20 TRADITIONAL WALNUT
- 57 EBONY WALNUT
- 72 BLACK (LOW SHEEN)

MODEL

DESCRIPTION

FABRIC LIST PRICE

COM 2 3 4 5 6 7 8

EC-42001

TRANSPORT CHAIR (UPHOLSTERED ARM)

3,295 3,615 3,700 3,800 3,950 4,100 4,350 4,600



- ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD
- SOLID ALUMINUM PUSH BAR STANDARD
- CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM
OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.

EC-42002

TRANSPORT CHAIR (WOOD ARM)

3,545 3,865 3,950 4,050 4,200 4,350 4,600 5,850



- ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD
- SOLID ALUMINUM PUSH BAR STANDARD
- CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.

EC-42003

TRANSPORT CHAIR (UPHOLSTERED ARM)

2,645 2,900 3,025 3,175 3,300 3,425 3,700 3,950



- ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD
- SOLID ALUMINUM PUSH BAR STANDARD
- MANUAL LOCK CASTERS STANDARD
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM
OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.

EC-42004

TRANSPORT CHAIR (WOOD ARM)

2,895 3,150 3,275 3,425 3,550 3,675 3,950 4,200



- ORTHOPEDIC/SLEEP POSITION/TRANSPORT RECLINER, TRANSPORT BASE STANDARD
- SOLID ALUMINUM PUSH BAR STANDARD
- MANUAL LOCK CASTERS STANDARD
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.

ADDITIONAL PRODUCT ORDERING OPTIONS



WC WOOD ARM CAPS PC BLACK POLY ARM CAPS

ADDS 1/2 INCH TO ARM HEIGHT
(ADD \$85 LIST PER ARM)

+EKO CARE FEATURES

WALL SAVER DESIGN
CLEAN-OUT SEAT
EKO GUARD® ANTI-MICROBIAL FINISH
ROUNDED ARMS FOR SAFE INGRESS/EGRESS
FIELD REPLACEABLE COMPONENTS
PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
ERGONOMIC, SOY BASED PRESERVE FOAM®
CNC CUT ENGINEERED HARDWOOD PLYWOOD
COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
HEAVY DUTY COMMERCIAL GRADE RECLINE MECHANISM
HEAVY DUTY BLACK CASTERS
OPTIONAL PROTECTIVE ARM CAPS
OPTIONAL IV POLE (ADD \$250 LIST)
OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
OPTIONAL FOLEY BAG HOLDER, SELF CLOSING (ADD \$145 LIST)
SPECIFY LEFT FRONT OR REAR, OR RIGHT REAR
OPTIONAL HEAVY DUTY, UP AND OVER, FLIP DOWN TRAY
MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER (ADD \$600 LIST)
OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE
WITH HEATED LUMBAR AREA (ADD \$250 LIST)
COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
CAL 133 (UPCHARGE, SEE PAGE 4)
LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATHER LIST PRICE


COL	C1	C2	C3	C4	C5	C6
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE

3,615 4,980 5,110 5,295 QUOTED UPON REQUEST



DROP SIDE TABLE

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
MAPLE VENEER OR LAMINATE T-MOLD EDGE, 13.5 X 19.5
MAPLE VENEER LEFT HANDED **LOTW** (ADD \$175 LIST)
BLACK LAMINATE LEFT HANDED **LOTL** (ADD \$200 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.



HEAVY DUTY FLIP-DOWN TRAY

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
MAPLE VENEER OR LAMINATE, 14.75 X 24.
LEFT HANDED FLIP DOWN TRAY **LFTD** (ADD \$600 LIST)
NOTE: TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF TRANSFER ARM OR OTTOMAN LEVER.


3,865 5,230 5,360 5,545 QUOTED UPON REQUEST

2,900 4,330 4,460 4,645 QUOTED UPON REQUEST



DROP SIDE TABLE

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
MAPLE VENEER OR LAMINATE T-MOLD EDGE, 13.5 X 19.5
MAPLE VENEER LEFT HANDED **LOTW** (ADD \$175 LIST)
BLACK LAMINATE LEFT HANDED **LOTL** (ADD \$200 LIST)
NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.



HEAVY DUTY FLIP-DOWN TRAY

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
MAPLE VENEER OR LAMINATE, 14.75 X 24.
LEFT HANDED FLIP DOWN TRAY **LFTD** (ADD \$600 LIST)
NOTE: TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF TRANSFER ARM OR OTTOMAN LEVER.

3,150 4,580 4,710 4,895 QUOTED UPON REQUEST

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
ARE BASED ON NON-DIRECTIONAL
54" TEXTILES. REFER TO PAGE 3
FOR HELP WITH TEXTILES WITH
REPEATS OR SEND AN EMAIL TO:
COM_HELP@EKOCONTRACT.COM

W	35	COM (YDS.)	6.5
D	39	COL (SQ. FT.)	117
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	35	COM (YDS.)	6
D	39	COL (SQ. FT.)	108
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	33	COM (YDS.)	6.5
D	39	COL (SQ. FT.)	117
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	33	COM (YDS.)	6
D	39	COL (SQ. FT.)	108
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	22.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

kardia transport chairs



PRODUCT SPECIFICATIONS

THIS COMPLETE COLLECTION OF SEATING IS THOUGHTFULLY DESIGNED FOR SEAMLESS SPECIFICATION THROUGHOUT HIGH TRAFFIC HEALTHCARE FACILITIES. INTELLIGENT FEATURES INCLUDE: WALL SAVER DESIGN, CLEAN-OUT SEAT, MOISTURE BARRIER PROTECTION, AND EKO GUARD® ANTI-MICROBIAL FINISH POWERED BY AGION TECHNOLOGY. ALL KARDIA HEALTHCARE PRODUCTS OFFER A LIMITED LIFETIME WARRANTY FROM DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE LIFETIME OF USE.

KARDIA'S SUPERIOR CONSTRUCTION INCLUDES SOLID HARDWOOD AND CNC CUT FURNITURE GRADE PLYWOOD FRAMES. JOINTS ARE CORNER BLOCKED, GLUED, AND FASTENED FOR DURABILITY. TEXTILES ARE HAND-TAILORED OVER 100% POLYURETHANE FOAM THAT MEETS CAL 117 STANDARDS. DOUBLE NEEDLE STITCHED SEWING TECHNIQUE WITH COLOR MATCHED THREAD ADDS EXTRA STRENGTH TO SEAMS AND STYLISH FLAIR.

DESIGNED BY JOHN STAFFORD/CHRIS CARTER.

FINISHES

- 53 LIGHT MAPLE
- 31 CINNAMON CHERRY
- 24 IMPERIAL CHERRY
- 46 ROYAL MAHOGANY
- 69 BOURBON MAHOGANY
- 64 APPALACHIAN MAHOGANY
- 42 LIGHT WALNUT
- 38 HERITAGE WALNUT
- 20 TRADITIONAL WALNUT
- 57 EBONY WALNUT
- 72 BLACK (LOW SHEEN)

MODEL

DESCRIPTION

FABRIC LIST PRICE

COM 2 3 4 5 6 7 8

EC-42101

TRANSPORT CHAIR (UPHOLSTERED ARM)

3,195 3,515 3,600 3,700 3,850 4,000 4,250 4,500



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM
OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.

EC-42102

TRANSPORT CHAIR (WOOD ARM)

3,445 3,765 3,850 3,950 4,100 4,250 4,500 4,750



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- CENTRAL LOCKING CASTERS WITH BRAKE STANDARD (LOCATED ON BOTH SIDES OF UNIT)
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.

EC-42103

TRANSPORT CHAIR (UPHOLSTERED ARM)

2,545 2,800 2,925 3,075 3,200 3,325 3,600 3,800



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- MANUAL LOCK CASTERS STANDARD
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.



PATIENT FOLD-DOWN TRANSFER ARM
OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
LEFT HANDED TRANSFER ARM **LPTA** (ADD \$550 LIST)
NOTE: TRANSFER ARMS CANNOT BE USED WITH ACCESSORIES, SUCH AS IV POLES, ON SAME SIDE AS TRANSFER MECHANISM OR ON SAME SIDE AS OTTOMAN LEVER.

EC-42104

TRANSPORT CHAIR (WOOD ARM)

2,795 3,050 3,175 3,325 3,450 3,575 3,850 4,100



- PATIENT/SLEEP POSITION/MOBILE RECLINER
- SOLID ALUMINUM PUSH BAR STANDARD
- MANUAL LOCK CASTERS STANDARD
- FRONT DIRECTIONAL CASTER STANDARD (LOCATED ON LEFT SIDE)
- HEADREST STANDARD
- BLACK POWDER COATED RIGHT SIDE OTTOMAN LEVER USED TO OPEN AND CLOSE FOOTREST
- SEAT FEATURES FRONT HINGE TO ALLOW EASY ACCESS TO ALL INNER COMPONENTS
- RIGHT SIDE BACK ADJUSTMENT LEVER ALLOWS BACK ANGLE TO BE LOCKED AT ANY ANGLE UP TO 180° WHEN FULLY EXTENDED
- 4-POSITION INFINITELY ADJUSTABLE MECHANISM ADJUSTS TO:
 - POSITION 1: SEATED WITH FEET ON FLOOR, FOOTREST DOWN
 - POSITION 2: FOOTREST FULLY EXTENDED, BACK IN UPRIGHT POSITION
 - POSITION 3: RANGE OF INFINITE BACK ADJUSTABILITY FROM THE SEATED POSITION
 - POSITION 4: FULL SLEEP POSITION WHERE BACK AND SEAT ARE PARALLEL TO FLOOR AND UNIT IS FULLY EXTENDED.
- SUPPORTS 500 LBS.

ADDITIONAL PRODUCT
ORDERING OPTIONSWC WOOD ARM CAPS
PC BLACK POLY ARM CAPSADDS 1/2 INCH TO ARM HEIGHT
(ADD \$85 LIST PER ARM)

+EKO CARE FEATURES

WALL SAVER DESIGN
 CLEAN-OUT SEAT
 EKO GUARD® ANTI-MICROBIAL FINISH
 ROUNDED ARMS FOR SAFE INGRESS/EGRESS
 FIELD REPLACEABLE COMPONENTS
 PUZZLE FIT FRAME CONSTRUCTION SUPPORTS 500 LBS.
 ERGONOMIC, SOY BASED PRESERVE FOAM®
 CNC CUT ENGINEERED HARDWOOD PLYWOOD
 COIL SEAT CONSTRUCTION FOR EXTREME COMFORT
 HEAVY DUTY COMMERCIAL GRADE RECLINE MECHANISM
 HEAVY DUTY BLACK CASTERS
 OPTIONAL PROTECTIVE ARM CAPS
 OPTIONAL IV POLE (ADD \$250 LIST)
 OPTIONAL OXYGEN TANK HOLDER, SIZE D (ADD \$300 LIST)
 OPTIONAL FOLEY BAG HOLDER, SELF CLOSING (ADD \$145 LIST)
 SPECIFY LEFT FRONT OR REAR, OR RIGHT REAR
 OPTIONAL HEAVY DUTY, UP AND OVER, FLIP DOWN TRAY
 MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER (ADD \$600 LIST)
 OPTIONAL HEAT/MASSAGE, SEAT/BACK TWO ZONE MASSAGE
 WITH HEATED LUMBAR AREA (ADD \$250 LIST)
 COMBINATION UPHOLSTERY (UPCHARGE, SEE PAGE 4)
 MOISTURE BARRIER (UPCHARGE, SEE PAGE 4)
 CAL 133 (UPCHARGE, SEE PAGE 4)
 LIFETIME WARRANTY

TO ORDER, SPECIFY:

1. MODEL NUMBER
2. FINISH
3. FABRIC

EXAMPLE

EC-42011/53/MAHARAM DART 017 SCRIBE

LEATHER LIST PRICE


COL	C1	C2	C3	C4	C5	C6
	BASIC	FUNDAMENTAL	HAMPTON	VOLO	ANDES	VELLUTO PELLE

3,515 4,880 5,010 5,195 QUOTED UPON REQUEST



DROP SIDE TABLE

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
 MAPLE VENEER OR LAMINATE T-MOLD EDGE, 13.5 X 19.5
 MAPLE VENEER LEFT HANDED **LOTW** (ADD \$175 LIST)
 BLACK LAMINATE LEFT HANDED **LOTL** (ADD \$200 LIST)
 NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.



HEAVY DUTY FLIP-DOWN TRAY

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
 MAPLE VENEER OR LAMINATE, 14.75 X 24.
 LEFT HANDED FLIP DOWN TRAY **LFTD** (ADD \$600 LIST)
 NOTE: TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF TRANSFER ARM OR OTTOMAN LEVER.

3,765 5,130 5,260 5,445 QUOTED UPON REQUEST

2,800 4,230 4,360 4,545 QUOTED UPON REQUEST



DROP SIDE TABLE

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
 MAPLE VENEER OR LAMINATE T-MOLD EDGE, 13.5 X 19.5
 MAPLE VENEER LEFT HANDED **LOTW** (ADD \$175 LIST)
 BLACK LAMINATE LEFT HANDED **LOTL** (ADD \$200 LIST)
 NOTE: TABLE MUST BE SPECIFIED ON OPPOSITE SIDE OF OTTOMAN LEVER.



HEAVY DUTY FLIP-DOWN TRAY

OPTION AVAILABLE ON UPHOLSTERED ARM MODELS.
 MAPLE VENEER OR LAMINATE, 14.75 X 24.
 LEFT HANDED FLIP DOWN TRAY **LFTD** (ADD \$600 LIST)
 NOTE: TRAY MUST BE SPECIFIED ON OPPOSITE SIDE OF TRANSFER ARM OR OTTOMAN LEVER.

3,050 4,480 4,610 4,795 QUOTED UPON REQUEST

DIMENSIONS

FIGURES

YARDAGE REQUIREMENTS SHOWN
 ARE BASED ON NON-DIRECTIONAL
 54" TEXTILES. REFER TO PAGE 3
 FOR HELP WITH TEXTILES WITH
 REPEATS OR SEND AN EMAIL TO:
 COM_HELP@EKOCONTRACT.COM

W	35	COM (YDS.)	6.5
D	39	COL (SQ. FT.)	117
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	19.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	35	COM (YDS.)	6
D	39	COL (SQ. FT.)	108
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	19.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	33	COM (YDS.)	6.5
D	39	COL (SQ. FT.)	117
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	19.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		

W	33	COM (YDS.)	6
D	39	COL (SQ. FT.)	108
H	46	WEIGHT (LBS.)	120
SW	23.5	CUBIC FEET	32
SD	20.5		
SH	19.5		
BH	29		
AH	6.5		
SLEEP DEPTH	72.5		